


Technology meets Anatomy



LEONARDO® Mini

Your mobile specialist in
medical laser treatment



- Photo Thermal Ablation
- Vaporization
- Coagulation
- Cutting

bio
LITEC®

Your versatile platform for in-office laser applications



LEONARDO® Mini

The success of biolitec®'s LEONARDO® Dual laser was the motivation to create the LEONARDO® family of lasers and to develop our LEONARDO® Mini. The proven reliability of our diode laser systems inspired the introduction of a versatile and small platform for a wide range of in-office applications.

The biolitec® LEONARDO® Mini laser is designed to work in perfect combination with a broad spectrum of special medical fibers and application kits developed by biolitec® and its companies. biolitec® is one of the world's most technologically advanced suppliers of fiberoptic products. The biolitec® treatment methods are routinely performed and validated in highly respected medical centers worldwide and are the number one choice for treating a wide variety of medical conditions.

Advantages

Simple but versatile

- Broad spectrum of minimally invasive therapeutic laser applications

Economic

- Low maintenance and reliable laser diodes
- Multidisciplinary use
- Small footprint

User-friendly

- Handy & mobile
- Fast set-up
- Clear and intuitive user interface
- Flexibility due to optional battery-powered application


LEONARDO® Mini is the new vehicle for state-of-the-art fiber optics energy delivery. GET STARTED!

Our safety concept of the fibers combines easy plug-in into the laser as well as an electronic signature for increased patient safety. It prevents usage beyond the product's lifetime and hazards caused by inserting unsuitable fibers to the laser.

Our special medical fibers and application kits available for minimally invasive laser therapies of:



LEONARDO® Mini



Model	LEONARDO® Mini Dual	LEONARDO® Mini 1470 nm
REF	SL980+1470nm14W	SL1470nm8W
Power / Wavelength	10 W (980 nm) / 4 W (1470 nm)	8 W (1470 nm)
Fiber diameter	≥ 360 µm	≥ 360 µm
Aiming beam	635 nm, max. 4 mW	635 nm, max. 4 mW
Treatment mode	CW, Pulse Mode (optional)	CW, Pulse Mode (optional), ELVeS® Signal
Pulse duration /-break	0.01 - 60 sec / 0.01 - 60 sec	0.01 - 60 sec / 0.01 - 60 sec
Power supply	110 - 240 VAC, 50 - 60 Hz (7.2 VDC @ 36 W)	110 - 240 VAC, 50 - 60 Hz (7.2 VDC @ 36 W)
Batteries	Li-ion Batteries	Li-ion Batteries
Dimensions (H × W × D)	6 cm × 9 cm × 21.5 cm	6 cm × 9 cm × 21.5 cm
Weight	900 g	900 g



Our versatile and reliable LEONARDO® laser family suit your needs whatever you intend to do



LEONARDO® DUAL 45
universal & ingenious



LEONARDO® DUAL 200
versatile & powerful

LEONARDO® Mini
basic & specialist



biolitec® worldwide

biolitec AG
Vienna, Austria
phone: +43 1 3619 909 50
info@biolitec.de
www.biolitec.com

**biolitec biomedical
technology GmbH**
Jena, Germany
Phone: +49 3641 519 53 0

biolitec Schweiz GmbH
Wollerau, Switzerland
Phone: +41 55 555 30 20

biolitec Italia SRL
Milano, Italy
Phone: +39 02 8423 0633

biolitec T. C. S. V. P. Ltd.
Istanbul, Turkey
Phone: +90 216 574 7456

000 biolitec Spb
Saint-Petersburg, Russia
Phone: +7 812 4493752

biolitec FZ LLC
Dubai, UAE
Phone: +971 44 29 85 92

**biolitec laser science and
technology Shanghai Ltd.**
Shanghai, China
Phone: +86 21 6308 8856

biolitec Sdn. Bhd.
Selangor, Malaysia
Phone: +60 3 5569 7158

biolitec India Private Ltd.
Bangalore, India
Phone: +91 265 3201106

PT. Biolitec
Tangerang, Indonesia
Phone: +62 21 537 2994

biolitec Korea Ltd.
Seoul, Republic of Korea
Phone: +82 2 701 4707

**Equipos Laser de Uso Medico y
Fibra Optica SA de CV**
México City, Mexico
Phone: +52 155 55 731800

biolitec BCIE LTDA
São Paulo, Brazil
Phone: +55 11 2093 8602

CeramOptec GmbH
Bonn, Germany
Phone: +49 228 979670

Ceram Optec SIA
Riga, Latvia
Phone: +371 653 25 994



All fibers are free of latex and DEHP. Our fibers are single use products (unless otherwise indicated) delivered sterile for immediate use.

Imprint
biolitec AG
Untere Viaduktgasse 6/9
A-1030 Wien
Phone: +43 1 3619 909 50
www.biolitec.com